Some signs and symptoms of meningococcal meningitis.1,2



Fever and chills



Vomiting



Sensitivity to light



Rapid breathing



Agitation



Rash, pinpoint red spots



Poor feeding/irritability



Bulging soft spot on top of head




Stiff neck

If you see these symptoms, seek medical help right away.



BECAUSE EVERY CHILD
SHOULD BE PROTECTED³



Talk to your healthcare provider about helping to protect against meningococcal meningitis.

References:

1. World Health Organization. Meningococcal meningitis. 19 February 2018. Available from https://www.who.int/news-room/fact-sheets/detail/meningococcal-meningitis. Accessed 14 December 2020.; 2. National Institutes of Health. Medline Plus. Meningococcal meningitis. https://medlineplus.gov/ency/article/000608.htm. Accessed 4 October 2020.; 3. For Every Child, Every Right: The Convention on the Rights of the Child at a crossroads. New York: United Nations Children's Fund (UNICEF), 2019.

PP-NIM-MYS-0081-21FEB2022



Scan this QR code to learn more on our website or visit www.meningitismatters.com.my



Pfizer (Malaysia) Sdn Bhd 197801003134 (40131-T)
Level 10 & 11, Wisma Averis, Tower 2, Avenue 5, Bangsar South,
No.8, Jalan Kerinchi, 59200 Kuala Lumpur.
Tel: 03-2281.6000 Fax: 03-2281.6388
www.pfizer.com.my

PP-NIM-MYS-0081-21FEB2022